

REF:C20180748

GUANTES EN CARNAZA TIPO SOLDADOR 16"

- Descripción: Guantes en Carnaza tipo soldador 16"
- Marca: Creattor
- Presentación comercial: Par de guantes
- Fabricación: Producto Importado.



Descripción del producto

Excelente resistencia al calor generada en las actividades de soldadura, su forro interior brinda una sensación de frescura y comodidad.

Características del producto

Para uso en líneas de producción de soldadura, trazo, punteo y aplicación del cordón de soldadura, contacto con superficies calientes moderadas.

Especificaciones del producto

- Cocido con hilo Kevlar para mayor resistencia contra chispas.
- Largo.16" aproximadamente.
- 100 % Carnaza Curtido al cromo

Aplicaciones

- Líneas de producción de soldadura, trazo, punteo y aplicación de cordón de soldadura.
- Contacto con superficies calientes y moderadas.

GUANTES EN CARNAZA TIPO SOLDADOR 16"



REF:C20180048

- Temperatura máxima: 32°C

Condiciones de Almacenamiento

- Humedad relativa máxima: 70%
- Almacenar en un lugar fresco y seco, evitando los rayos directos del sol.
- Inadecuadas condiciones de almacenamiento, carga y descarga brutal probablemente afectasen la calidad de los productos.

Disposición Final

- En caso de que el producto se encuentre contaminado con residuos, colóquelo en el respectivo contenedor según cual sea la sustancia o material.
- Los empaques contenedores deberán ser depositada en el contenedor correspondiente a residuos reciclables, en caso que esta se encuentre contaminada por alguna sustancia o material, deséchela en el mismo contenedor donde se depositen estas sustancias.

GARANTIA LIMITADA

CREATTOR garantiza que sus productos están libres de defectos en los materiales y en la mano de obra. Un producto sujeto a un reclamo de garantía se debe poner primero a disposición de un distribuidor CREATTOR autorizado o del vendedor a través del cual se ha adquirido el producto.

GUANTES EN CARNAZA TIPO SOLDADOR 16"

www.creator.com.co

REF:C20180748





EU-TYPE EXAMINATION CERTIFICATE



The following model of Personal Protective Equipment has been subjected to an EU-type examination in accordance with the module B of the PPE regulation (2016/425) and has been shown to satisfy to essential health and safety requirements.

Certificate N° 0075/4820/162/09/23/1536

Issued by CTC, Notified Body N°0075, to the following model of personal protective equipment :

Description

PPE Type : *protective glove against mechanical risks*

Product reference : JYX-001

Article code : /

Glove description : Protective gloves against mechanical risks

Available sizes : 11-14inch 11-16inch

Pictures :



Reference standard :

Levels of performance / class of protection

« X » indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material.

« 0 » indicates that the glove falls below the minimum performance level for the individual hazard.

EN ISO 21420:2020

-

EN 388:2016 + A1:2018

4 2 3 2 X

At the date of the certificate, the product is in compliance with Annex XVII of REACH regulation (n° 1907/2006 and revisions)

Full description of the PPE, reference rules verified in the context of the EU-type examination and information given on the product are detailed in the manufacturer's technical file and the user instructions: index 01 dated from SEPTEMBER 2023.

NOTA : Any modification to new items of the personal protective equipment object of this EU type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the EU type approval certificate (change of address, change of company status) should be brought to the attention of the notified body in accordance with Annex V §7.2 of Regulation 2016/425. Any marking on the PPE which is not concerned by the Regulation (UE) 2016/425, is not covered by this certificate.

Issued in Lyon by
Nadine PIPAZ
Certification team leader

Date of first issue: 22 September 2023
Date of end of validity: 22 September 2028



In application of the Regulation 2016/425 of the European parliament and the Council of 9th March 2016 related to Personal Protective Equipment and repealing the Directive 89/686/EEC.



Accreditation n° 5-0594
Scope available on:
www.cofrac.fr

www.ctcgroupe.com

cemarking@ctcgroupe.com

CTC - 4, rue Hermann Frenkel - 69367 Lyon cedex 07 - France
Tél. : +33 (0)4 72 76 10 10 - Fax : +33 (0)4 72 76 10 00 - ctdyon@ctcgroupe.com

Comité Professionnel de Développement Économique (CPDE) Cuir: Chaussure Maroquinerie Garterie
Lot 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

GLOVE DESCRIPTION

General glove description and intended use:

Protective gloves against mechanical risks

This glove is designed against mechanical risks.

Type of coating finish : no coating

Visual description (picture back and palm sides) :



Risk assessment (Essential Health and Safety Requirement. Annex II - PPE Regulation)

		Applicable	Covered by
§1	Requirements defined in the Annex II §1 are applicable to all PPE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§1.4	Manufacturer's instructions and information is available	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input type="checkbox"/> Marking
§2.5	PPE which may be caught up during use	<input checked="" type="checkbox"/>	<input type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input type="checkbox"/> Marking
§2.12	PPE bearing one or more identification markings or indicators directly or indirectly relating to health and safety	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§3.3	The PPE is intended to protect against mechanical injuries	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking

Glove constitution :

	Reference	Color	Material	Surfacic mass (g/m ²)	Gauges	Thickness
Palm		blue	cowhide split leather			1.1-1.5mm
		yellow	cowhide split leather			1.1-1.5mm
Back		blue	cowhide split leather			1.1-1.5mm
Lining	palm/ back	beige	cotton	280	21	
	cuff	beige	cotton	280		
Cuff		blue	cowhide split leather			1.1-1.5mm
		yellow	cowhide split leather			1.1-1.5mm
Accessories	Seam	grey	cow hide split leather			1.1-1.5mm

PROTECTION SCOPE

This glove meets the essential requirements of the Personal Protective Equipment Regulation 2016/425.

This glove is designed against mechanical risks.

It is a category II product.

GENERAL REQUIREMENTS

Standard EN ISO 21420 : 2020

Dexterity : 3

Available size range: 11-14inch 11-16inch

A different hand sizing system from the one defined in EN ISO 21420 Annex B table B.1 is used:

Hand size	Hand circumference (mm)	Hand length (mm)
11-14inch	290mm	210mm
11-16inch	290mm	210mm

SPECIFIC REQUIREMENTS AND PERFORMANCE LEVELS

« X » indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material.

« 0 » indicates that the glove falls below the minimum performance level for the individual hazard.

Mechanical hazard EN 388:2016 + A1:2018

Protection offered	Performance levels
Abrasion resistance	4
Blade cut resistance	2
Tear strength resistance	3
Puncture resistance	2
Cut Resistance method (EN ISO 13997)	X
Impact Protection	N/A

The levels of performance have been measured on the palm.


TEST REPORTS

Laboratory	CTC	Other
EN ISO 21420 + innocuousness	S230201195_2 S230302578_2	
EN 388	S230201195_2	

MARKING - PACKAGING

Information printed on the glove :

Logo of Manufacturer :

Logo 

Glove's reference : JYX-001

Article Code : /

Size indicator

Pictograms related to risks against which protection is offered with performance levels

Information pictogram

Address of Manufacturer :

Date of Manufacture (month/year) and/or serial/batch number :

Date of obsolescence (month/year) if applicable:

Marking example :



Marking of packaging example :



Method of marking on the glove :

Printing on the back of the gloves

Packaging suitable for transport:

12 pairs/polybag 72 pairs/carton

PPE subject to ageing :

The design performance can not be significantly affect by ageing when stored in appropriate conditions (humidity, temperature, clean , ventilated, light).

Cleaning instructions:

The gloves are not washable.

MEANS OF CONTROL

1. For cow split leather, we check the defects, the color difference, thickness length, width, and cut into pieces. For gloves liner, first we check the defects, the color difference and cut into pieces
 2. Then seam the cow split leather and glove liners into together.
 3. Then we packing the finished gloves in packing room. We will pick out the defective gloves during packing process. And iron the quality gloves, then band the gloves and put into the polybag and carton.
- Besides, we will re-test the products EN388 standard such as abrasion, cut and so on one test every two years.

Glove description :

Protective gloves against mechanical risks

This glove is a personal protective equipment belonging to the category II.

It meets the requirements of the PPE Regulation 2016/425 : innocuousness, comfort, solidity.

It has been subject to a UE-type Examination performed by :

C.T.C. (0075)
4, rue Hermann Frenkel
69367 LYON Cedex 07
FRANCE

The glove meets the requirements of the standard EN ISO 21420:2020 « Protective Gloves - General requirements and test methods ».

Dexterity: 3

Available size range: 11-14inch 11-16inch

A different hand sizing system from the one defined in EN ISO 21420 Annex B is used:

Hand size	Hand circumference (mm)	Hand length (mm)
11-14inch	290mm	210mm
11-16inch	290mm	210mm

Information about marking

« X » indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material.

« 0 » indicates that the glove falls below the minimum performance level for the individual hazard.



The CE marking means that this product meets the requirements of the regulation 2016/425

Mechanical hazard - EN 388:2016 + A1:2018



4 2 3 2 X

Levels of performance

Abrasion resistance	4	(on 4 maxi)
Blade cut resistance	2	(on 5 maxi)
Tear resistance	3	(on 4 maxi)
Puncture resistance	2	(on 4 maxi)
Cut Resistance method (EN ISO 13997)	X	(A to F)
Impact Protection		



Read carefully the instructions for use provided with the product

Protection limit :

Users should be warned that gloves should not be worn when there is a risk of entanglement by moving parts of machines.

This model does not contain any substances at levels that are known to, or suspected to, adversely affect user hygiene or health.

The protection against risks or hazards which are not mentioned in this document is not warranted.

These levels of performance are obtained from the tests done according to conditions defined by the applicable standards.

The levels of performance mentioned are only valid for new gloves, not washed, nor regenerated.

Before use, the glove shall be visually inspected for any defect or imperfections. In case of deterioration, the gloves must be scrapped (abrasion, cut, tear...).

For gloves with two or more layers the overall classification does not necessarily reflect the performance of the outermost layer.

The levels of performance against mechanical risks are only valid for the palm of the glove.

Storage and cleaning notice

Keep in its original packaging, under ordinary temperature and humidity conditions and in clean, covered and ventilated premises.

The gloves are not washable.

PPE subject to ageing :

The design performance can not be significantly affected by ageing when stored in appropriate conditions (humidity, temperature, clean, ventilated, light).

Declaration of conformity :

Available with product.